Cumulative Author Index, Volume 18*

A

Abatangelo G. Hyaluronic acid delays or impedes reepithelialization? 1997;18:552 (Letter)
Abiko M (*see* DeCherney et al). 1997;18:292-8
Achauer BH (*see* De Rios et al). 1997;18:37-42
Al-Kasspooles MF (*see* Caruso et al). 1997;18:424-8

B

Baker CC (*see* Napolitano et al). 1997;18:389-94
Balakrishnan C, Emanuele JA, Chow IJS. Dupuytren's contracture after burns of the upper extremity. 1997;18:245-6 (Case rep.)
Barillo DJ, Dickerson EE, Cioffi WG, Mozingo DW, Pruitt BA Jr. Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns. 1997;18:200-5
Baron PW, Barrow RE, Pierre EJ, Herndon DN. Prolonged use of propranolol safely decreases cardiac work in burned children. 1997;18:223-7
Barrette RR (*see* Lattari et al). 1997;18:147-55
Barrow RE (*see* Baron et al). 1997;18:223-7
Barton RG, Craft WB, Mone MC, Saffle JR. Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation. 1997;18:461-8
——, Saffle JR, Morris SE, Mone M, Davis B, Shelby J. Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy. 1997;18:1-9
Baxter CR. New perspectives in burn care: introduction. 1997;18:S1
——. New perspectives in burn care: overview. 1997;18:S29-30
Bay RC (*see* Schiller et al). 1997;18:10-6
Bianchi TLG. Aspects of sexuality after burn injury: outcomes in men. 1997;18:183-6
Biggs KS, Heinrich JJ, Jekel JF, Cuono CB. The burn camp experience: variables that influence the enhancement of self-esteem. 1997;18:93-8
Billmire D (*see* Staley et al). 1997;18:164-71
Biondo NA (*see* Booke et al). 1997;18:27-33
Blaquiere M (*see* Sheridan et al). 1997;18:455-9
Booke M, Bradford DW, Hinder F, Nishida K, Biondo NA, Traber LD, Traber DL. Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation. 1997;18:27-33
Boucaud C (*see* Braye et al). 1997;18:321-5
Bowman B (*see* Edelman et al). 1997;18:483-9
Bradford DW (*see* Booke et al). 1997;18:27-33
Brandt CP (*see* Fratianne and Brandt). 1997;18:262-7
—— (*see* Fratianne and Brandt). 1997;18:347-51
Bray G (*see* McGill et al). 1997;18:429-34
Braye F, Latarjet J, Foyatier JL, Comparin JP, Tranchand P, Boucaud C. Extensive burns caused by the abusive use of photosensitizing agents. 1997;18:321-5
Brown LK (*see* Chiburis et al). 1997;18:443-6
Brown RL, Greenhalgh DG, Warden GD. Iron burns to the hand in the young pediatric patient: a problem in prevention. 1997;18:279-82
Busillo F (*see* Polo et al). 1997;18:477-82

C

Cain V (*see* Yeong et al). 1997;18:353-5
Caldwell FT Jr, Graves DB, Wallace BH. Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide. 1997;18:525-30
Calistro A (*see* Mathews et al). 1997;18:358-63
Carrougher GJ. Nursing forum: commentary. 1997;18:356-7
——, Sharar SR. Nursing forum: commentary. 1997;18:453-4
Caruso DM, Al-Kasspooles MF, Matthews MR, Weiland DE, Schiller WR. Rationale for 'early' percutaneous dilatational tracheostomy in patients with burn injuries. 1997;18:424-8
——, King TJ, Tsujimura RB, Weiland DE, Schiller WR. Primary closure of fasciotomy incisions with a skin-stretching device in patients with burn and trauma. 1997;18:125-32
Chen MT (*see* Yeong et al). 1997;18:234-7
Chiburis L, Brown LK, Haddad A, Coppard B. Ethics and rehabilitation of the patient with severe burns. 1997;18:443-6
Choucair R (*see* Sheridan et al). 1997;18:317-20
Choucair RJ (*see* Sheridan and Choucair). 1997;18:496-9
Chow IJS (*see* Balakrishnan et al). 1997;18:245-6 (Case rep.)
Cioffi WG (*see* Barillo et al). 1997;18:200-5
Coben JH (*see* Forjuoh et al). 1997;18:86-91
Colescott D (*see* Mann et al). 1997;18:247-9
Comparin JP (*see* Braye et al). 1997;18:321-5
Coppard B (*see* Chiburis et al). 1997;18:443-6
Cortiella J (*see* Mlcak et al). 1997;18:531-4
Costa B (*see* Yeong et al). 1997;18:353-5
Craft WB (*see* Barton et al). 1997;18:461-8
Cresswell A (*see* Rodgers et al). 1997;18:342-6
Cruse CW (*see* Polo et al). 1997;18:477-82

*January/February, Part 1, pp. 1-98. January/February, Part 2, pp. S1-S29; March/April, pp. 99-186; May/June, pp. 187-286; July/August, pp. 287-380; September/October, pp. 381-476; November/December, pp. 477-576.

Cunningham JJ (*see* Prelack et al). 1997;18:177-81
Cuono CB (*see* Biggs et al). 1997;18:93-8
Cusick JM, Grant EJ, Kucan JO. Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards. 1997;18:469-76

D

Daley W (*see* Sheridan et al). 1997;18:455-9
Daley WM (*see* Sheridan et al). 1997;18:369-71
Davis B (*see* Barton et al). 1997;18:1-9
Davis M (*see* Hansbrough et al). 1997;18:43-51
—— (*see* Purdue et al). 1997;18:52-7
Dearwater SR (*see* Forjuoh et al). 1997;18:86-91
DeCherney AH, Dougherty WR, Felix JC, Rodgers KE, Girgis W, Abiko M, diZerega GS. Expression of cyclin protein after thermal skin injury in a guinea pig model. 1997;18:292-8
—— (*see* Rodgers et al). 1997;18:381-8
Dechert RE (*see* Rock et al). 1997;18:269-78
Demirdjian G. Adjusting a prognostic score for burned children with logistic regression. 1997;18:313-6
Demling R (*see* LaLonde et al). 1997;18:187-92
Demling RH (*see* LaLonde et al). 1997;18:515-9
De Rios MD, Novac A, Achauer BH. Sexual dysfunction and the patient with burns. 1997;18:37-42
Desai M (*see* Mlcak et al). 1997;18:531-4
Desai MH (*see* Rose et al). 1997;18:338-41
Dickerson EE (*see* Barillo et al). 1997;18:200-5
diZerega GS (*see* DeCherney et al). 1997;18:292-8
—— (*see* Rodgers et al). 1997;18:381-8
Doctor JN, Patterson DR, Mann R. Health outcome for burn survivors. 1997;18:490-5
Doctor M, Pruzinsky T. Psychosocial forum: commentary. 1997;18:372-3
——. Psychosocial forum: commentary. 1997;18:92-3, 283
——, Schoeps M. Psychosocial forum: commentary. 1997;18:182
Domankevitz Y, Nishioka NS. Effects of a rapidly scanned carbon dioxide laser on porcine dermis. 1997;18:206-9
Donelan M (*see* Sheridan et al). 1997;18:317-20
Dougherty WR (*see* DeCherney et al). 1997;18:292-8
—— (*see* Rodgers et al). 1997;18:381-8
Duinslaeger LAY, Verbeken G, Vanhalle S, Vanderkelen A. Cultured allogeneic keratinocyte sheets accelerate healing compared to Op-Site treatment of donor sites in burns. 1997;18:545-51
Duncan M (*see* Smith et al). 1997;18:76-80
du Pont JS (*see* Richters et al). 1997;18:228-33
Durda PJ (*see* Schinkel et al). 1997;18:210-3

E

Edelman LS, Shao W, Miller S, Bowman B, Morris SE, Shelby J. Effects of burn injury on bone and growth in a mouse model. 1997;18:483-9
Edgar P (*see* Shannon et al). 1997;18:326-31
Emanuele JA (*see* Balakrishnan et al). 1997;18:245-6 (Case rep.)
Engelhardt SL, Schurr MJ, Helgerson RB. Toxic epidermal necrolysis: an analysis of referral patterns and steroid usage. 1997;18:520-4
Engrav LH (*see* Mann et al). 1997;18:160-3
—— (*see* Mann et al). 1997;18:247-9
—— (*see* Matsumura et al). 1997;18:299-305
—— (*see* Matsumura et al). 1997;18:306-12
—— (*see* Yeong et al). 1997;18:234-7
—— (*see* Yeong et al). 1997;18:353-5

F

Faist E (*see* Schinkel et al). 1997;18:210-3
Fauerbach JA (*see* Heinberg et al). 1997;18:374-80
Felix JC (*see* DeCherney et al). 1997;18:292-8
—— (*see* Rodgers et al). 1997;18:381-8
Fiala SM (*see* Supple et al). 1997;18:58-60
Fisher MC (*see* Rodgers et al). 1997;18:342-6
—— (*see* Rodgers et al). 1997;18:406-10
Fletchall S, Hickerson WL. Managed health care: therapist responsibilities. 1997;18:61-3
—— (*see* Hickerson and Fletchall). 1997;18:160
Forjuoh SN, Coben JH, Dearwater SR, Weiss HB. Identifying homes with inadequate smoke detector protection from residential fires in Pennsylvania. 1997;18:86-91
Fowlkes BJ (*see* McHugh et al). 1997;18:104-8
Foyatier JL (*see* Braye et al). 1997;18:321-5
Foyt HL (*see* Pierre et al). 1997;18:287-91
Fratianne RB, Brandt CP. Determining when care for burns is futile. 1997;18:262-7
——, ——. Improved survival of adults with extensive burns. 1997;18:347-51
Frye KE, Izenberg SD, Williams MD, Luterman A. Neural networks: What are they? 1997;18:72-5

G

Gamelli R (*see* McGill et al). 1997;18:429-34
—— (*see* Speron and Gamelli). 1997;18:421-3
Gamelli RL (*see* Kowal-Vern et al). 1997;18:99-103
—— (*see* Mathews et al). 1997;18:358-63
—— (*see* McGill et al). 1997;18:133-8
—— (*see* Supple et al). 1997;18:58-60
Garner WL (*see* McHugh et al). 1997;18:104-8
Garren RL (*see* Schiller et al). 1997;18:10-6
Gentzkow GD (*see* Hansbrough et al). 1997;18:43-51
—— (*see* Purdue et al). 1997;18:52-7
Gibbons J (*see* Honari et al). 1997;18:500-4
Gibran NS (*see* Honari et al). 1997;18:500-4
—— (*see* Matsumura et al). 1997;18:306-12
Gidner A (*see* Hansbrough et al). 1997;18:43-51
Gilmore BT (*see* McClain et al). 1997;18:141-6
Girgis W (*see* DeCherney et al). 1997;18:292-8
Girgis WW (*see* Rodgers et al). 1997;18:381-8
Goldberg M (*see* Yeong et al). 1997;18:353-5
Goldfarb IW (*see* Purdue et al). 1997;18:52-7

Gomperts E (*see* McGill et al). 1997;18:429-34
Gore D (*see* Humphries et al). 1997;18:34-6
Gottschlich MM. Nutrition forum: commentary. 1997;18: 82, 177, 268, 460
——, Winkler MF. Nutrition forum: commentary. 1997; 18:364
—— (*see* Mayes et al). 1997;18:365-8
Grady J (*see* Myers et al). 1997;18:214-22
Grant EJ (*see* Cusick et al). 1997;18:469-76
Graves DB (*see* Caldwell et al). 1997;18:525-30
Green C (*see* Myers et al). 1997;18:214-22
Greenfield E, Jenkins ME. Nursing forum: commentary. 1997;18:76, 260
Greenhalgh D (*see* McGill et al). 1997;18:429-34
—— (*see* Richard and Greenhalgh). 1997;18:441
Greenhalgh DG (*see* Brown et al). 1997;18:279-82
Greenleaf G (*see* Rennekampff et al). 1997;18:535-44
Grevelink J (*see* Sheridan et al). 1997;18:317-20
Griffey S (*see* Rennekampff et al). 1997;18:535-44
Guay DRP (*see* Hoey et al). 1997;18:116-24
Guha SC (*see* Milner et al). 1997;18:109-15

H

Hackerman F (*see* Heinberg et al). 1997;18:374-80
Haddad A (*see* Chiburis et al). 1997;18:443-6
Hallock GG. Distal-based flaps for reconstruction of hand burns. 1997;18:332-7
Hansbrough J. Dermagraft-TC for partial-thickness burns: a clinical evaluation. 1997;18:S25-8
—— (*see* Rennekampff et al). 1997;18:17-21
Hansbrough JF, Mozingo DW, Kealey GP, Davis M, Gidner A, Gentzkow GD. Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds. 1997;18:43-51
—— (*see* Purdue et al). 1997;18:52-7
—— (*see* Rennekampff et al). 1997;18:535-44
Harunari N (*see* Matsumura et al). 1997;18:299-305
Heck E. Operational standards and regulations for tissue banks. 1997;18:S11-2
Heggers JP (*see* Shannon et al). 1997;18:326-31
Heimbach DM (*see* Honari et al). 1997;18:500-4
—— (*see* Matsumura et al). 1997;18:299-305
Heinberg LJ, Fauerbach JA, Spence RJ, Hackerman F. Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury. 1997;18: 374-80
Heinrich JJ (*see* Biggs et al). 1997;18:93-8
Helgerson RB (*see* Engelhardt et al). 1997;18:520-4
Hennigan J (*see* LaLonde et al). 1997;18:187-92
—— (*see* LaLonde et al). 1997;18:515-9
Herndon DN. Multiple piece use of Dermagraft-TC. 1997;18:S14-5
——. Perspectives in the use of allograft. 1997;18:S6
—— (*see* Baron et al). 1997;18:223-7
—— (*see* Milner et al). 1997;18:109-15
—— (*see* Pierre et al). 1997;18:287-91
—— (*see* Purdue et al). 1997;18:52-7
—— (*see* Rose et al). 1997;18:338-41
—— (*see* Schinkel et al). 1997;18:210-3
—— (*see* Shannon et al). 1997;18:326-31
Hickerson WL. Burn rehabilitation forum: commentary. 1997;18:247, 435
——, Fletchall S. Burn rehabilitation forum: commentary. 1997;18:160
—— (*see* Fletchall and Hickerson). 1997;18:61-3
—— (*see* Purdue et al). 1997;18:52-7
Himel HN (*see* Purdue et al). 1997;18:52-7
Hinder F (*see* Booke et al). 1997;18:27-33
Hinson M (*see* Sheridan et al). 1997;18:455-9
Höcherl E (*see* Schinkel et al). 1997;18:210-3
Hoekstra MJ (*see* Richters et al). 1997;18:228-33
Hoey LL, Tschida SJ, Rotschafer JC, Guay DRP, Vance-Bryan K. Wide variation in single, daily-dose aminoglycoside pharmacokinetics in patients with burn injuries. 1997;18:116-24
Hoey ME (*see* Sheridan et al). 1997;18:369-71
Honari S, Patterson DR, Gibbons J, Martin-Herz SP, Mann R, Gibran NS, Heimbach DM. Comparison of pain control medication in three age groups of elderly. 1997;18:500-4
Hoppernsteadt D (*see* Kowal-Vern et al). 1997;18:99-103
Horton JW (*see* Xia et al). 1997;18:193-9
Humphries Y, Melson M, Gore D. Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns. 1997;18: 34-6
Hunt JL (*see* Murphy et al). 1997;18:417-20
—— (*see* Purdue et al). 1997;18:52-7
Hurst TS (*see* Johnson et al). 1997;18:395-401

I

Ireton-Jones C. Comparison of the metabolic response to burn injury in obese and nonobese patients. 1997;18: 82-5
Izenberg SD (*see* Frye et al). 1997;18:72-5

J

Jablonski K (*see* Jeng et al). 1997;18:402-5
Jekel JF (*see* Biggs et al). 1997;18:93-8
Jeng JC, Lee K, Jablonski K, Jordan MH. Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument. 1997;18:402-5
Jenkins ME (*see* Greenfield and Jenkins). 1997;18:76, 260
Johnson DH, Hurst TS, Mayers I. The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald. 1997;18:395-401
Jones LM (*see* Lattari et al). 1997;18:147-55
Jordan MH (*see* Jeng et al). 1997;18:402-5

K

Kagan R (*see* Smith et al). 1997;18:76-80
Kamada T (*see* Matsumura et al). 1997;18:299-305
Kamperdijk EWA (*see* Richters et al). 1997;18:228-33
Kealey GP. Disease transmission by means of allograft. 1997;18:S10-1
—— (*see* Hansbrough et al). 1997;18:43-51
—— (*see* Purdue et al). 1997;18:52-7
Khilnani R (*see* Rock et al). 1997;18:269-78
Kiessig V (*see* Rennekampff et al). 1997;18:17-21
—— (*see* Rennekampff et al). 1997;18:535-44
Kimura T (*see* Matsumura et al). 1997;18:306-12
King TJ (*see* Caruso et al). 1997;18:125-32
Kinsky MP (*see* Milner et al). 1997;18:109-15
Ko F (*see* Polo et al). 1997;18:477-82
Kobayashi Y (*see* Matsumura et al). 1997;18:299-305
Koruda MJ (*see* Napolitano et al). 1997;18:389-94
Kowal-Vern A (*see* McGill et al). 1997;18:133-8
——, Walenga JM, Sharp-Pucci M, Hoppernsteadt D, Gamelli RL. Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor. 1997;18:99-103
—— (*see* McGill et al). 1997;18:429-34
Kramer GC (*see* Milner et al). 1997;18:109-15
Krizek TJ (*see* Polo et al). 1997;18:477-82
Kucan JO. Burn prevention forum: commentary. 1997;18: 86, 279, 469
—— (*see* Cusick et al). 1997;18:469-76

L

LaLonde C, Nayak U, Hennigan J, Demling R. Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants. 1997;18:187-92
——, ——, ——, ——. Plasma catalase and glutathione levels are decreased in response to inhalation injury. 1997;18:515-9
Latarjet J (*see* Braye et al). 1997;18:321-5
Latenser BA (*see* Lattari et al). 1997;18:147-55
Lattari V, Jones LM, Varcelotti JR, Latenser BA, Sherman HF, Barrette RR. The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases. 1997;18:147-55
Law EJ (*see* Purdue et al). 1997;18:52-7
Lee J (*see* Yeong et al). 1997;18:353-5
Lee K (*see* Jeng et al). 1997;18:402-5
Lee M (*see* McGill et al). 1997;18:429-34
Leigh IM (*see* Myers et al). 1997;18:214-22
Lin T-W (*see* Yeong et al). 1997;18:234-7
Lo A (*see* Rodgers et al). 1997;18:342-6
Long SS (*see* Rodgers et al). 1997;18:342-6
—— (*see* Rodgers et al). 1997;18:406-10
Luterman A (*see* Frye et al). 1997;18:72-5
—— (*see* Smith et al). 1997;18:411-6
Lybarger P (*see* Sheridan et al). 1997;18:455-9
Lybarger PM (*see* Sheridan et al). 1997;18:369-71
Lydon M (*see* Sheridan et al). 1997;18:139-40
—— (*see* Sheridan et al). 1997;18:156-8
—— (*see* Sheridan et al). 1997;18:317-20

M

Mackie DP. The Euro skin bank: development and application of glycerol-preserved allografts. 1997;18:S7-9
MacMillan K (*see* Sheridan et al). 1997;18:317-20
Maevsky EI (*see* McHugh et al). 1997;18:104-8
Mann R, Yeong EK, Moore M, Colescott D, Engrav LH. Do custom-fitted pressure garments provide adequate pressure? 1997;18:247-9
——, ——, ——, Engrav LH. A new tool to measure pressure under burn garments. 1997;18:160-3
—— (*see* Doctor et al). 1997;18:490-5
—— (*see* Honari et al). 1997;18:500-4
—— (*see* Matsumura et al). 1997;18:299-305
—— (*see* Yeong et al). 1997;18:234-7
—— (*see* Yeong et al). 1997;18:353-5
Martin-Herz SP (*see* Honari et al). 1997;18:500-4
Martyn J (*see* Sheridan et al). 1997;18:455-9
Mathews JJ, Supple K, Calistro A, Gamelli RL. A burn center cost-reduction program. 1997;18:358-63
Matin S (*see* Pierre et al). 1997;18:287-91
Matsuda H (*see* Mishima et al). 1997;18:22-6
Matsumura H, Kobayashi Y, Mann R, Sugamata A, Watanabe K, Harunari N, Yoshizawa N, Kamada T, Engrav LH, Heimbach DM. Residual myocardial damage following electrical injuries. 1997;18:299-305
——, Yoshizawa N, Kimura T, Watanabe K, Gibran NS, Engrav LH. A burn wound healing model in the hairless descendant of the Mexican hairless dog. 1997;18: 306-12
Matthews MR (*see* Caruso et al). 1997;18:424-8
Mayers I (*see* Johnson et al). 1997;18:395-401
Mayes T, Gottschlich MM, Warden GD. Clinical nutrition protocols for continuous quality improvements in the outcomes of patients with burns. 1997;18:365-8
McClain T, Gilmore BT, Peetz M. Laparoscopic cholecystectomy in the treatment of acalculus cholecystitis in patients after thermal injury. 1997;18:141-6
McDonald-Smith GP. NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports. 1997;18:256-9
——, Smith SJ. NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results. 1997;18:447-50
——, ——. Second installment of NATIONAL TRACS™/ABA Burn Registry tips. 1997;18:451-2
—— (*see* Miller and McDonald-Smith). 1997;18:72, 172, 256, 447
McGill V, Kowal-Vern A, Gamelli RL. A conservative thermal injury treatment protocol for the appropriate Jehovah's Witness candidate. 1997;18:133-8
——, ——, Lee M, Greenhalgh D, Gomperts E, Bray G, Gamelli R. Use of fibrin sealant in thermal injury. 1997; 18:429-34
McHugh AA, Fowlkes BJ, Maevsky EI, Smith DJ Jr, Rodriguez JL, Garner WL. Biomechanical alterations in

normal skin and hypertrophic scar after thermal injury. 1997;18:104-8
Melson M (*see* Humphries et al). 1997;18:34-6
Mendelson JA. The management of burns under conditions of limited resources using topical aqueous sulfamylon (mafenide) hydrochloride spray. 1997;18:238-44
Meyer AA (*see* Napolitano et al). 1997;18:389-94
Miller S (*see* Edelman et al). 1997;18:483-9
—— (*see* Richard et al). 1997;18:64-71
—— (*see* Richard et al). 1997;18:251-5
Miller SF, McDonald-Smith GP. BurnWare™: NATIONAL TRACS™/ABA—commentary. 1997;18:72, 172, 256, 447
Milner SM, Kinsky MP, Guha SC, Herndon DN, Phillips LG, Kramer GC. A comparison of two different 2400 mOsm solutions for resuscitation of major burns. 1997;18:109-15
Mishima S, Yukioka T, Matsuda H, Shimazaki S. Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon'. 1997;18:22-6
Missavage AE (*see* Purdue et al). 1997;18:52-7
Mitchell AT (*see* Pierre et al). 1997;18:287-91
Mlakar JM (*see* Rose et al). 1997;18:338-41
Mlcak R, Cortiella J, Desai M, Herndon D Lung compliance, airway resistance, and work of breathing in children after inhalation injury. 1997;18:531-4
Mobley J (*see* Smith et al). 1997;18:76-80
Mone M (*see* Barton et al). 1997;18:1-9
Mone MC (*see* Barton et al). 1997;18:461-8
Moore M (*see* Mann et al). 1997;18:247-9
—— (*see* Yeong et al). 1997;18:353-5
Moore ML (*see* Mann et al). 1997;18:160-3
Morris SE (*see* Barton et al). 1997;18:1-9
—— (*see* Edelman et al). 1997;18:483-9
Mortensen JE (*see* Rodgers et al). 1997;18:406-10
Mozingo DW (*see* Barillo et al). 1997;18:200-5
—— (*see* Hansbrough et al). 1997;18:43-51
Murphy JT, Purdue GF, Hunt JL. Toxic epidermal necrolysis. 1997;18:417-20
Myers SR, Grady J, Soranzo C, Sanders R, Green C, Leigh IM, Navsaria HA. A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model. 1997;18:214-22

N

Nackel A (*see* Sheridan et al). 1997;18:455-9
Nakamura D (*see* Yeong et al). 1997;18:353-5
Napolitano LM, Koruda MJ, Baker CC, Meyer AA. Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury. 1997;18:389-94
Navsaria HA (*see* Myers et al). 1997;18:214-22
Nayak U (*see* LaLonde et al). 1997;18:187-92
—— (*see* LaLonde et al). 1997;18:515-9
Nishida K (*see* Booke et al). 1997;18:27-33
Nishioka NS (*see* Domankevitz and Nishioka). 1997;18:206-9
Noel JG (*see* Sternfeld et al). 1997;18:505-14
Novac A (*see* De Rios et al). 1997;18:37-42

O

Ogle CK (*see* Sternfeld et al). 1997;18:505-14

P

Parente ST. Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns. 1997;18:S18-24
Parker I (*see* Schiller et al). 1997;18:10-6
Parker RS (*see* Rock et al). 1997;18:269-78
Patterson DR (*see* Doctor et al). 1997;18:490-5
—— (*see* Honari et al). 1997;18:500-4
Payne VM (*see* Smith et al). 1997;18:411-6
Peck MD (*see* Tabares and Peck). 1997;18:283-6
Peetz M (*see* McClain et al). 1997;18:141-6
Pegg S (*see* Tyack et al). 1997;18:435-40
Perez-Polo JR (*see* Pierre et al). 1997;18:287-91
Petras L (*see* Sheridan et al). 1997;18:139-40
—— (*see* Sheridan et al). 1997;18:156-8
—— (*see* Sheridan et al). 1997;18:317-20
Phillips LG (*see* Milner et al). 1997;18:109-15
—— (*see* Shannon et al). 1997;18:326-31
Pierre EJ, Perez-Polo JR, Mitchell AT, Matin S, Foyt HL, Herndon DN. Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing. 1997;18:287-91
—— (*see* Baron et al). 1997;18:223-7
Polo M, Ko F, Busillo F, Cruse CW, Krizek TJ, Robson MC. Cytokine production in patients with hypertrophic burn scars. 1997;18:477-82
Prelack K, Cunningham JJ, Sheridan RL, Tompkins RG. Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements. 1997;18:177-81
Pruitt BA Jr. The evolutionary development of biologic dressings and skin substitutes. 1997;18:S2-5
—— (*see* Barillo et al). 1997;18:200-5
Pruzinsky T (*see* Doctor and Pruzinsky). 1997;18:372-3
Purdue GF. Dermagraft-TC pivotal efficacy and safety study. 1997;18:S13-4
——, Hunt JL, Still JM Jr, Law EJ, Herndon DN, Goldfarb IW, Schiller WR, Hansbrough JF, Hickerson WL, Himel HN, Kealey GP, Twomey J, Missavage AE, Solem LD, Davis M, Totoritis M, Gentzkow GD. A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds. 1997;18:52-7
—— (*see* Murphy et al). 1997;18:417-20

Q

Querzoli B (*see* Sheridan et al). 1997;18:455-9

R

Rennekampff HO, Kiessig V, Griffey S, Greenleaf G, Hansbrough JF. Acellular human dermis promotes cultured keratinocyte engraftment. 1997;18:535-44

Rennekampff OH, Tenenhaus M, Hansbrough J, Kiessig V, Zapata-Sirvent RL. Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice. 1997;18:17-21

Richard R, Greenhalgh D. PT/OT forum: commentary. 1997;18:441

——. PT/OT forum: commentary. 1997;18:64, 164, 250, 352

——, Staley M, Miller S, Warden G. To splint of not to splint—past philosophy and present practice: part III. 1997;18:251-5

——, ——, ——, ——. To splint or not to splint: past philosophy and current practice—part II. 1997;18:64-71

—— (*see* Staley et al). 1997;18:164-71

Richters CD, Hoekstra MJ, van Baare J, du Pont JS, Kamperdijk EWA. Immunogenicity of glycerol-preserved human cadaver skin in vitro. 1997;18:228-33

Robson MC (*see* Polo et al). 1997;18:477-82

Rock CL, Dechert RE, Khilnani R, Parker RS, Rodriguez JL. Carotenoids and antioxidant vitamins in patients after burn injury. 1997;18:269-78

Rodgers GL, Fisher MC, Lo A, Cresswell A, Long SS. Study of antibiotic prophylaxis during burn wound debridement in children. 1997;18:342-6

——, Mortensen JE, Fisher MC, Long SS. In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods. 1997;18:406-10

Rodgers KE, DeCherney AH, St. Amand KM, Dougherty WR, Felix JC, Girgis WW, diZerega GS. Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II. 1997;18:381-8

—— (*see* DeCherney et al). 1997;18:292-8

Rodriguez JL (*see* McHugh et al). 1997;18:104-8

—— (*see* Rock et al). 1997;18:269-78

Rose JK, Desai MH, Mlakar JM, Herndon DN. Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children. 1997;18:338-41

Rotschafer JC (*see* Hoey et al). 1997;18:116-24

S

Saffle JR. The current status of the NATIONAL TRACS™/ABA Burn Registry. 1997;18:172-5

—— (*see* Barton et al). 1997;18:1-9

—— (*see* Barton et al). 1997;18:461-8

St. Amand KM (*see* Rodgers et al). 1997;18:381-8

Salvo PM (*see* Sheridan et al). 1997;18:139-40

Sanders R (*see* Myers et al). 1997;18:214-22

Schiller WR, Bay RC, Garren RL, Parker I, Sagraves SG Hyperdynamic resuscitation improves survival in patients with life-threatening burns. 1997;18:10-6

—— (*see* Caruso et al). 1997;18:125-32

—— (*see* Caruso et al). 1997;18:424-8

—— (*see* Purdue et al). 1997;18:52-7

Schinkel C, Zimmer S, Durda PJ, Höcherl E, Herndon DN, Faist E. Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma. 1997;18:210-3

Schurr MJ (*see* Engelhardt et al). 1997;18:520-4

Scott SM (*see* Smith et al). 1997;18:411-6

Shannon T, Edgar P, Villarreal C, Herndon DN, Phillips LG, Heggers JP. Much ado about nothing: methicillin-resistant *Staphylococcus aureus*. 1997;18:326-31

Shao W (*see* Edelman et al). 1997;18:483-9

Sharar SR (*see* Carrougher and Sharar). 1997;18:453-4

Sharp-Pucci M (*see* Kowal-Vern et al). 1997;18:99-103

Shelby J (*see* Barton et al). 1997;18:1-9

—— (*see* Edelman et al). 1997;18:483-9

Sheridan RL, Choucair RJ. Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction. 1997;18:496-9

——, Hinson M, Nackel A, Blaquiere M, Daley W, Querzoli B, Spezzafaro J, Lybarger P, Martyn J, Szyfelbein S, Tompkins R. Development of a pediatric burn pain and anxiety management program. 1997;18:455-9

——, Hoey ME, Daley WM, Lybarger PM. Childhood burns in camping and outdoor cooking accidents: a focus for prevention. 1997;18:369-71

——, MacMillan K, Donelan M, Choucair R, Grevelink J, Petras L, Lydon M, Tompkins R. Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety. 1997;18:317-20

——, Petras L, Lydon M. Ultrasonic imaging as an adjunct to femoral venous catheterization in children. 1997;18:156-8

——, ——, ——, Salvo PM. Once-daily wound cleansing and dressing change: efficacy and cost. 1997;18:139-40

—— (*see* Prelack et al). 1997;18:177-81

Sherman HF (*see* Lattari et al). 1997;18:147-55

Shimazaki S (*see* Mishima et al). 1997;18:22-6

Smith CJ, Payne VM, Scott SM, Luterman A. Immunoglobulin E levels and anticollagen antibodies in patients with postburn hypertrophic scars. 1997;18:411-6

Smith DJ Jr (*see* McHugh et al). 1997;18:104-8

Smith S, Duncan M, Mobley J, Kagan R. Emergency room management of minor burn injuries: a quality management evaluation. 1997;18:76-80

Smith SJ (*see* McDonald-Smith and Smith). 1997;18:447-50

—— (*see* McDonald-Smith and Smith). 1997;18:451-2

Solem LD (*see* Purdue et al). 1997;18:52-7

Soranzo C (*see* Myers et al). 1997;18:214-22

Spence RJ (*see* Heinberg et al). 1997;18:374-80

Speron S, Gamelli R. Toxic epidermal necrolysis syndrome versus mycosis fungoides. 1997;18:421-3

Spezzafaro J (*see* Sheridan et al). 1997;18:455-9
Spielvogel RL. A histologic study of Dermagraft-TC in patients' burns wounds. 1997;18:S16-8
Staley M, Richard R, Billmire D, Warden G. Head/face/neck burns: therapist considerations for the pediatric patient. 1997;18:164-71
—— (*see* Richard et al). 1997;18:64-71
—— (*see* Richard et al). 1997;18:251-5
Sternfeld DC, Ogle CK, Valente JF, Noel JG, Warden GD. Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions. 1997;18:505-14
Still JM Jr (*see* Purdue et al). 1997;18:52-7
Sugamata A (*see* Matsumura et al). 1997;18:299-305
Supple K (*see* Mathews et al). 1997;18:358-63
Supple KG, Fiala SM, Gamelli RL. Preparation for burn center verification. 1997;18:58-60
Szyfelbein S (*see* Sheridan et al). 1997;18:455-9

T

Tabares R, Peck MD. Chemical dependency in patients with burn injuries: a fortress of denial. 1997;18:283-6
Tenenhaus M (*see* Rennekampff et al). 1997;18:17-21
Tompkins R (*see* Sheridan et al). 1997;18:317-20
—— (*see* Sheridan et al). 1997;18:455-9
Tompkins RG (*see* Prelack et al). 1997;18:177-81
Totoritis M (*see* Purdue et al). 1997;18:52-7
Traber DL (*see* Booke et al). 1997;18:27-33
Traber LD (*see* Booke et al). 1997;18:27-33
Tranchand P (*see* Braye et al). 1997;18:321-5
Tschida SJ (*see* Hoey et al). 1997;18:116-24
Tsujimura RB (*see* Caruso et al). 1997;18:125-32
Twomey J (*see* Purdue et al). 1997;18:52-7
Tyack ZF, Pegg S, Ziviani J. Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature. 1997;18:435-40

V

Valente JF (*see* Sternfeld et al). 1997;18:505-14
van Baare J (*see* Richters et al). 1997;18:228-33
Vance-Bryan K (*see* Hoey et al). 1997;18:116-24
Vanderkelen A (*see* Duinslaeger et al). 1997;18:545-51
Vanhalle S (*see* Duinslaeger et al). 1997;18:545-51
Varcelotti JR (*see* Lattari et al). 1997;18:147-55
Verbeken G (*see* Duinslaeger et al). 1997;18:545-51
Villarreal C (*see* Shannon et al). 1997;18:326-31

W

Walenga JM (*see* Kowal-Vern et al). 1997;18:99-103
Wallace BH (*see* Caldwell et al). 1997;18:525-30
Warden G (*see* Richard et al). 1997;18:64-71
—— (*see* Richard et al). 1997;18:251-5
—— (*see* Staley et al). 1997;18:164-71
Warden GD (*see* Brown et al). 1997;18:279-82
—— (*see* Mayes et al). 1997;18:365-8
—— (*see* Sternfeld et al). 1997;18:505-14
Watanabe K (*see* Matsumura et al). 1997;18:299-305
—— (*see* Matsumura et al). 1997;18:306-12
Weiland DE (*see* Caruso et al). 1997;18:125-32
—— (*see* Caruso et al). 1997;18:424-8
Weiss HB (*see* Forjuoh et al). 1997;18:86-91
Williams MD (*see* Frye et al). 1997;18:72-5
Winkler MF (*see* Gottschlich and Winkler). 1997;18:364

X

Xia Z, Horton JW, Zhao P. NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury. 1997;18:193-9

Y

Yeong EK, Chen MT, Mann R, Lin T-W, Engrav LH. Facial mutilation after an assault with chemicals: 15 cases and literature review. 1997;18:234-7
——, Mann R, Engrav LH, Goldberg M, Cain V, Costa B, Moore M, Nakamura D, Lee J. Improved burn scar assessment with use of a new scar-rating scale. 1997;18:353-5
—— (*see* Mann et al). 1997;18:160-3
—— (*see* Mann et al). 1997;18:247-9
Yoshizawa N (*see* Matsumura et al). 1997;18:299-305
—— (*see* Matsumura et al). 1997;18:306-12
Yukioka T (*see* Mishima et al). 1997;18:22-6

Z

Zapata-Sirvent RL (*see* Rennekampff et al). 1997;18:17-21
Zhao P (*see* Xia et al). 1997;18:193-9
Zimmer S (*see* Schinkel et al). 1997;18:210-3
Ziviani J (*see* Tyack et al). 1997;18:435-40

Cumulative Subject Index, Volume 18*

A

Administration, inhalation
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33

Administration, oral
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6

Administration, topical
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
The management of burns under conditions of limited resources using topical aqueous sulfamylon (mafenide) hydrochloride spray (Mendelson). 1997; 18:238-44

Adult respiratory distress syndrome; *see* **Respiratory distress syndrome, adult**

Aged
Comparison of pain control medication in three age groups of elderly (Honari et al). 1997;18:500-4

Airway resistance
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4

Allogeneic transplantation; *see* **Transplantation, homologous**

Allograft; *see* **Transplantation, homologous**

American Burn Association
The current status of the NATIONAL TRACS™/ABA Burn Registry (Saffle). 1997;18:172-5
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18: 256-9
NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results (McDonald-Smith and Smith). 1997;18:447-50
Second installment of NATIONAL TRACS™/ABA Burn Registry tips (McDonald-Smith and Smith). 1997;18:451-2

Amino acids
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18: 109-15

Aminoglycosides
Wide variation in single, daily-dose aminoglycoside pharmacokinetics in patients with burn injuries (Hoey et al). 1997;18:116-24

21-aminosteroids
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401

Analgesia
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6

Angiotensin II
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8

Anoxia
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401

Anti-anxiety agents; *see* **Tranquilizing agents, minor**

Antibiotics
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6

Antibodies
Immunoglobulin E levels and anticollagen antibodies in patients with postburn hypertrophic scars (Smith et al). 1997;18:411-6

Antibody formation
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94

Antidepressive agents
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42

Antimicrobials
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10

Antioxidants
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18: 187-92
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997; 18:515-9

Anxiety
Development of a pediatric burn pain and anxiety management program (Sheridan et al). 1997;18:455-9
Superiority of oral ketamine as an analgesic and sedative

*January/February, Part 1, pp. 1-98. January/February, Part 2, pp. S1-S29; March/April, pp. 99-186; May/June, pp. 187-286; July/August, pp. 287-380; September/October, pp. 381-476; November/December, pp. 477-576.

for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6

Arm
Dupuytren's contracture after burns of the upper extremity (Balakrishnan et al). 1997;18:245-6 (Case rep.)

Artificial skin; *see* **Skin, artificial**

Ascorbic acid
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78

Autograft; *see* **Transplantation, autologous**

Autologous transplantation; *see* **Transplantation, autologous**

B

Bacitracin
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10

Bacterial proteins
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21

Bacterial translocation
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18:22-6

Bandages
A burn wound healing model in the hairless descendant of the Mexican hairless dog (Matsumura et al). 1997;18:306-12
Once-daily wound cleansing and dressing change: efficacy and cost (Sheridan et al). 1997;18:139-40

Biological dressings
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
Dermagraft-TC for partial-thickness burns: a clinical evaluation (Hansbrough). 1997;18:S25-8
Dermagraft-TC pivotal efficacy and safety study (Purdue). 1997;18:S13-4
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24
The evolutionary development of biologic dressings and skin substitutes (Pruitt). 1997;18:S2-5
A histologic study of Dermagraft-TC in patients' burns wounds (Spielvogel). 1997;18:S16-8
Multiple piece use of Dermagraft-TC (Herndon). 1997;18:S14-5
New perspectives in burn care: introduction (Baxter). 1997;18:S1

Biosynthetic skin; *see* **Skin, artificial**

Body image
Aspects of sexuality after burn injury: outcomes in men (Bianchi). 1997;18:183-6

Body weight
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997;18:82-5

Bone marrow cells
Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions (Sternfeld et al). 1997;18:505-14

Bone remodeling
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9

Breathing; *see* **Respiration**

Burn units
A burn center cost-reduction program (Mathews et al). 1997;18:358-63
Preparation for burn center verification (Supple et al). 1997;18:58-60

Burns, chemical
Extensive burns caused by the abusive use of photosensitizing agents (Braye et al). 1997;18:321-5
Facial mutilation after an assault with chemicals: 15 cases and literature review (Yeong et al). 1997;18:234-7

Burns, complications
Aspects of sexuality after burn injury: outcomes in men (Bianchi). 1997;18:183-6
Dupuytren's contracture after burns of the upper extremity (Balakrishnan et al). 1997;18:245-6 (Case rep.)
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42

Burns, drug therapy
Chemical dependency in patients with burn injuries: a fortress of denial (Tabares and Peck). 1997;18:283-6
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
The management of burns under conditions of limited resources using topical aqueous sulfamylon (mafenide) hydrochloride spray (Mendelson). 1997;18:238-44
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94
Prolonged use of propranolol safely decreases cardiac work in burned children (Baron et al). 1997;18:223-7
Wide variation in single, daily-dose aminoglycoside pharmacokinetics in patients with burn injuries (Hoey et al). 1997;18:116-24

Burns, electrical
Residual myocardial damage following electrical injuries (Matsumura et al). 1997;18:299-305

Burns, in infancy and childhood
Adjusting a prognostic score for burned children with logistic regression (Demirdjian). 1997;18:313-6
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
Childhood burns in camping and outdoor cooking accidents: a focus for prevention (Sheridan et al). 1997; 18:369-71
Development of a pediatric burn pain and anxiety management program (Sheridan et al). 1997;18:455-9
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements (Prelack et al). 1997;18:177-81
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
Iron burns to the hand in the young pediatric patient: a problem in prevention (Brown et al). 1997;18: 279-82
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4
Prolonged use of propranolol safely decreases cardiac work in burned children (Baron et al). 1997;18:223-7
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6
Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety (Sheridan et al). 1997;18:317-20
Ultrasonic imaging as an adjunct to femoral venous catheterization in children (Sheridan et al). 1997;18: 156-8
Burns, inhalation
Determining when care for burns is futile (Fratianne and Brandt). 1997;18:262-7
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997; 18:515-9
Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns (Barillo et al). 1997;18:200-5
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9
Burns, pathology
Biomechanical alterations in normal skin and hypertrophic scar after thermal injury (McHugh et al). 1997; 18:104-8
A burn wound healing model in the hairless descendant of the Mexican hairless dog (Matsumura et al). 1997; 18:306-12
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997; 18:82-5
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18: 187-92
Expression of cyclin protein after thermal skin injury in a guinea pig model (DeCherney et al). 1997;18:292-8
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18: 22-6
NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9
Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide (Caldwell et al). 1997;18:525-30
Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions (Sternfeld et al). 1997;18:505-14
Burns, prevention and control
Childhood burns in camping and outdoor cooking accidents: a focus for prevention (Sheridan et al). 1997; 18:369-71
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al). 1997;18:469-76
Identifying homes with inadequate smoke detector protection from residential fires in Pennsylvania (Forjuoh et al). 1997;18:86-91
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6
Burns, rehabilitation
Ethics and rehabilitation of the patient with severe burns (Chiburis et al). 1997;18:443-6
Burns, scald
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401
Burns, surgery
Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
Clinical trials of a biosynthetic temporary skin replace-

ment, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
Cultured allogeneic keratinocyte sheets accelerate healing compared to Op-Site treatment of donor sites in burns (Duinslaeger et al). 1997;18:545-51
Dermagraft-TC for partial-thickness burns: a clinical evaluation (Hansbrough). 1997;18:S25-8
Disease transmission by means of allograft (Kealey). 1997;18:S10-1
Distal-based flaps for reconstruction of hand burns (Hallock). 1997;18:332-7
Effects of a rapidly scanned carbon dioxide laser on porcine dermis (Domankevitz and Nishioka). 1997;18:206-9
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24
The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9
The evolutionary development of biologic dressings and skin substitutes (Pruitt). 1997;18:S2-5
A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
Improved survival of adults with extensive burns (Fratianne and Brandt). 1997;18:347-51
Laparoscopic cholecystectomy in the treatment of acalculus cholecystitis in patients after thermal injury (McClain et al). 1997;18:141-6
A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7
Multiple piece use of Dermagraft-TC (Herndon). 1997;18:S14-5
New perspectives in burn care: introduction (Baxter). 1997;18:S1
New perspectives in burn care: overview (Baxter). 1997;18:S29-30
Operational standards and regulations for tissue banks (Heck). 1997;18:S11-2
Perspectives in the use of allograft (Herndon). 1997;18:S6
Primary closure of fasciotomy incisions with a skin-stretching device in patients with burn and trauma (Caruso et al). 1997;18:125-32
Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury (Heinberg et al). 1997;18:374-80
To splint of not to splint—past philosophy and present practice: part III (Richard et al). 1997;18:251-5
The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases (Lattari et al). 1997;18:147-55

Burns, therapy
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18:461-8
Clinical nutrition protocols for continuous quality improvements in the outcomes of patients with burns (Mayes et al). 1997;18:365-8
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
A conservative thermal injury treatment protocol for the appropriate Jehovah's Witness candidate (McGill et al). 1997;18:133-8
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Determining when care for burns is futile (Fratianne and Brandt). 1997;18:262-7
Emergency room management of minor burn injuries: a quality management evaluation (Smith et al). 1997;18:76-80
Health outcome for burn survivors (Doctor et al). 1997;18:490-5
Hyperdynamic resuscitation improves survival in patients with life-threatening burns (Schiller et al). 1997;18:10-6
Improved burn scar assessment with use of a new scar-rating scale (Yeong et al). 1997;18:353-5
New perspectives in burn care: introduction (Baxter). 1997;18:S1
New perspectives in burn care: overview (Baxter). 1997;18:S29-30
A new tool to measure pressure under burn garments (Mann et al). 1997;18:160-3
Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns (Barillo et al). 1997;18:200-5
Rationale for 'early' percutaneous dilatational tracheostomy in patients with burn injuries (Caruso et al). 1997;18:424-8
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5
To splint of not to splint—past philosophy and present practice: part III (Richard et al). 1997;18:251-5
Use of fibrin sealant in thermal injury (McGill et al). 1997;18:429-34

C

C1 esterase inhibitors; *see* **Complement 1 inactivators**
Cadaver
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
Dermagraft-TC pivotal efficacy and safety study (Purdue). 1997;18:S13-4
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the

treatment of graftable burns (Parente). 1997;18: S18-24
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7
Perspectives in the use of allograft (Herndon). 1997; 18:S6

Carbon dioxide laser; *see* **Laser surgery**

Cardiac work
Prolonged use of propranolol safely decreases cardiac work in burned children (Baron et al). 1997;18:223-7

Carotene
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78

Carotenoids
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78

Catalase
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997; 18:515-9

Catheterization, central venous
Ultrasonic imaging as an adjunct to femoral venous catheterization in children (Sheridan et al). 1997;18: 156-8

Chemical dependence; *see* **Substance dependence**

Child
Adjusting a prognostic score for burned children with logistic regression (Demirdjian). 1997;18:313-6
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
Childhood burns in camping and outdoor cooking accidents: a focus for prevention (Sheridan et al). 1997; 18:369-71
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al). 1997;18:469-76
Development of a pediatric burn pain and anxiety management program (Sheridan et al). 1997;18:455-9
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements (Prelack et al). 1997;18:177-81
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
Iron burns to the hand in the young pediatric patient: a problem in prevention (Brown et al). 1997;18: 279-82
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4
Prolonged use of propranolol safely decreases cardiac work in burned children (Baron et al). 1997;18:223-7
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6
Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety (Sheridan et al). 1997;18:317-20
Ultrasonic imaging as an adjunct to femoral venous catheterization in children (Sheridan et al). 1997;18: 156-8

Cholecystectomy, laparoscopic
Laparoscopic cholecystectomy in the treatment of acalculus cholecystitis in patients after thermal injury (McClain et al). 1997;18:141-6

Cholecystitis
Laparoscopic cholecystectomy in the treatment of acalculus cholecystitis in patients after thermal injury (McClain et al). 1997;18:141-6

Christianity
A conservative thermal injury treatment protocol for the appropriate Jehovah's Witness candidate (McGill et al). 1997;18:133-8

Cicatrix
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
Improved burn scar assessment with use of a new scar-rating scale (Yeong et al). 1997;18:353-5
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40

Cicatrix, hypertrophic
Acellular human dermis promotes cultured keratinocyte engraftment (Rennekampff et al). 1997;18:535-44
Biomechanical alterations in normal skin and hypertrophic scar after thermal injury (McHugh et al). 1997; 18:104-8
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Do custom-fitted pressure garments provide adequate pressure? (Mann et al). 1997;18:247-9
Immunoglobulin E levels and anticollagen antibodies in patients with postburn hypertrophic scars (Smith et al). 1997;18:411-6
Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety (Sheridan et al). 1997;18:317-20

Clinical protocols
Clinical nutrition protocols for continuous quality improvements in the outcomes of patients with burns (Mayes et al). 1997;18:365-8

Clinical Research Award
Health outcome for burn survivors (Doctor et al). 1997; 18:490-5

Collagen
Immunoglobulin E levels and anticollagen antibodies in patients with postburn hypertrophic scars (Smith et al). 1997;18:411-6

Compartment syndromes
Primary closure of fasciotomy incisions with a skin-stretching device in patients with burn and trauma (Caruso et al). 1997;18:125-32

Complement 1 inactivators
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103
Computers
The current status of the NATIONAL TRACS™/ABA Burn Registry (Saffle). 1997;18:172-5
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18:256-9
NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results (McDonald-Smith and Smith). 1997;18:447-50
Neural networks: What are they? (Frye et al). 1997;18:72-5
Second installment of NATIONAL TRACS™/ABA Burn Registry tips (McDonald-Smith and Smith). 1997;18:451-2
Consumer Product Safety
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al). 1997;18:469-76
Contracture
Acellular human dermis promotes cultured keratinocyte engraftment (Rennekampff et al). 1997;18:535-44
Dupuytren's contracture after burns of the upper extremity (Balakrishnan et al). 1997;18:245-6 (Case rep.)
Correspondence
Letters to the editor. 1997;18:552
Costs and cost analysis
A burn center cost-reduction program (Mathews et al). 1997;18:358-63
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24
Once-daily wound cleansing and dressing change: efficacy and cost (Sheridan et al). 1997;18:139-40
Cryopreservation
Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7
Cyclins
Expression of cyclin protein after thermal skin injury in a guinea pig model (DeCherney et al). 1997;18:292-8
Cytokines
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide (Caldwell et al). 1997;18:525-30
Cytomegalovirus
Disease transmission by means of allograft (Kealey). 1997;18:S10-1

D

Data analysis; *see* **Statistics**
Debridement
Effects of a rapidly scanned carbon dioxide laser on porcine dermis (Domankevitz and Nishioka). 1997;18:206-9
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6
Denial
Chemical dependency in patients with burn injuries: a fortress of denial (Tabares and Peck). 1997;18:283-6
Dermagraft-TC; *see* **Skin, artificial**
Dextrans
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Dilution techniques; *see* **Indicator dilution techniques**
Dogs
A burn wound healing model in the hairless descendant of the Mexican hairless dog (Matsumura et al). 1997;18:306-12
Do-not-resuscitate orders; *see* **Resuscitation orders**
Dressings; *see* **Bandages**
Drug dependence; *see* **Substance dependence**
Dupuytren's contracture
Dupuytren's contracture after burns of the upper extremity (Balakrishnan et al). 1997;18:245-6 (Case rep.)

E

Economics
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24
Edema
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103
Elderly; *see* **Aged**
Emergency medical services
Emergency room management of minor burn injuries: a quality management evaluation (Smith et al). 1997;18:76-80
Endothelins
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103
Endotoxins
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18:187-92

Energy expenditure; *see* **Energy metabolism**
Energy metabolism
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18:461-8
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997;18:82-5
Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements (Prelack et al). 1997;18:177-81
Epidermal necrolysis, toxic
Toxic epidermal necrolysis: an analysis of referral patterns and steroid usage (Engelhardt et al). 1997;18:520-4
Toxic epidermal necrolysis (Murphy et al). 1997;18:417-20
Toxic epidermal necrolysis syndrome versus mycosis fungoides (Speron and Gamelli). 1997;18:421-3
Epithelial cells
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
Hyaluronic acid delays or impedes reepithelialization? (Abatangelo). 1997;18:552 (Letter)
Equipment and supplies
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5
Ethics
Ethics and rehabilitation of the patient with severe burns (Chiburis et al). 1997;18:443-6

F

Face
Facial mutilation after an assault with chemicals: 15 cases and literature review (Yeong et al). 1997;18:234-7
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
Family
Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury (Heinberg et al). 1997;18:374-80
Fasciotomy
Primary closure of fasciotomy incisions with a skin-stretching device in patients with burn and trauma (Caruso et al). 1997;18:125-32
Fever
Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide (Caldwell et al). 1997;18:525-30
Fibrin tissue adhesive
Use of fibrin sealant in thermal injury (McGill et al). 1997;18:429-34
Flaps; *see* **Surgical flaps**
Fluid therapy
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5
Foot
The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases (Lattari et al). 1997;18:147-55
Fractures
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9

G

G suits
Do custom-fitted pressure garments provide adequate pressure? (Mann et al). 1997;18:247-9
A new tool to measure pressure under burn garments (Mann et al). 1997;18:160-3
Gastric mucosa
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Gene transfer
Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing (Pierre et al). 1997;18:287-91
Glucose
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Glutathione
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997;18:515-9
Glycerin
The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
Glycerol; *see* **Glycerin**
Growth substances
Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing (Pierre et al). 1997;18:287-91
Guinea pigs
Expression of cyclin protein after thermal skin injury in a guinea pig model (DeCherney et al). 1997;18:292-8

H

Hand
Distal-based flaps for reconstruction of hand burns (Hallock). 1997;18:332-7
Iron burns to the hand in the young pediatric patient: a problem in prevention (Brown et al). 1997;18:279-82
The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases (Lattari et al). 1997;18:147-55
Head
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71

Heart
Residual myocardial damage following electrical injuries (Matsumura et al). 1997;18:299-305
Hemostatics
Use of fibrin sealant in thermal injury (McGill et al). 1997;18:429-34
Hepatitis
Disease transmission by means of allograft (Kealey). 1997;18:S10-1
Hepatocytes
Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions (Sternfeld et al). 1997;18:505-14
Histology
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
A histologic study of Dermagraft-TC in patients' burns wounds (Spielvogel). 1997;18:S16-8
HIV
Disease transmission by means of allograft (Kealey). 1997;18:S10-1
Homologous transplantation; *see* **Transplantation, homologous**
Human immunodeficiency virus; *see* **HIV**
Humoral immunity; *see* **Antibody formation**
Hyaluronic acid
Hyaluronic acid delays or impedes reepithelialization? (Abatangelo). 1997;18:552 (Letter)
A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22
Hypertension, pulmonary
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Hypertonic solutions
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Hypertrophic scar; *see* **Cicatrix, hypertrophic**
Hypotension
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18:22-6
Hypoxia; *see* **Anoxia**

I

Immobilization
To splint or not to splint: past philosophy and current practice—part II (Richard et al). 1997;18:64-71
To splint of not to splint—past philosophy and present practice: part III (Richard et al). 1997;18:251-5
Immune system
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Immunogenetics
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
Immunoglobulins
Immunoglobulin E levels and anticollagen antibodies in patients with postburn hypertrophic scars (Smith et al). 1997;18:411-6
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94
Incision
Primary closure of fasciotomy incisions with a skin-stretching device in patients with burn and trauma (Caruso et al). 1997;18:125-32
Indicator dilution techniques
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
Infection
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3
Much ado about nothing: methicillin-resistant *Staphylococcus aureus* (Shannon et al). 1997;18:326-31
Insulin-like growth factor I
Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing (Pierre et al). 1997;18:287-91
Interleukins
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103
Intestinal mucosa
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Iron
Iron burns to the hand in the young pediatric patient: a problem in prevention (Brown et al). 1997;18:279-82

J

Jehovah's Witness; *see* **Christianity**
Jurisprudence
A conservative thermal injury treatment protocol for the appropriate Jehovah's Witness candidate (McGill et al). 1997;18:133-8

K

Keratinocytes
Acellular human dermis promotes cultured keratinocyte engraftment (Rennekampff et al). 1997;18:535-44
Cultured allogeneic keratinocyte sheets accelerate healing compared to Op-Site treatment of donor sites in burns (Duinslaeger et al). 1997;18:545-51
A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22
Ketamine
Superiority of oral ketamine as an analgesic and sedative

for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6

L

Lactates
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5

Laparoscopy
Laparoscopic cholecystectomy in the treatment of acalculus cholecystitis in patients after thermal injury (McClain et al). 1997;18:141-6

Laser surgery
Effects of a rapidly scanned carbon dioxide laser on porcine dermis (Domankevitz and Nishioka). 1997;18:206-9
Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety (Sheridan et al). 1997;18:317-20

Legal aspects; *see* **Jurisprudence**

Length of stay
A burn center cost-reduction program (Mathews et al). 1997;18:358-63

Letters
Letters to the editor. 1997;18:552

Leukocytes
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103

Lindberg Award
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9

Lipid peroxidation
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997;18:515-9

Lipopolysaccharides
Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide (Caldwell et al). 1997;18:525-30

Liposomes
Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing (Pierre et al). 1997;18:287-91

Literature
Facial mutilation after an assault with chemicals: 15 cases and literature review (Yeong et al). 1997;18:234-7
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40

Liver
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18:187-92
NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9

Logistic models
Adjusting a prognostic score for burned children with logistic regression (Demirdjian). 1997;18:313-6

Lung
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4

Lymph nodes
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18:22-6

M

Macrophages
Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions (Sternfeld et al). 1997;18:505-14

Mafenide
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
The management of burns under conditions of limited resources using topical aqueous sulfamylon (mafenide) hydrochloride spray (Mendelson). 1997;18:238-44

Magnetic resonance imaging
NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9

Managed care programs
Managed health care: therapist responsibilities (Fletchall and Hickerson). 1997;18:61-3
Preparation for burn center verification (Supple et al). 1997;18:58-60

Mechanical ventilation; *see* **Respiration, artificial**

Mesenteric lymph nodes; *see* **Lymph nodes**

Metabolism
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997;18:82-5

Methicillin resistance
Much ado about nothing: methicillin-resistant *Staphylococcus aureus* (Shannon et al). 1997;18:326-31

Mice
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21

Monocytes
Thermal injury functionally alters bone marrow–derived macrophages: a study of monocyte-hepatocyte interactions (Sternfeld et al). 1997;18:505-14

Moyer Award
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82
Multiple organ failure
Determining when care for burns is futile (Fratianne and Brandt). 1997;18:262-7
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18: 22-6
Mupirocin
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
Mycosis fungoides
Toxic epidermal necrolysis syndrome versus mycosis fungoides (Speron and Gamelli). 1997;18:421-3

N

Narcotics
Comparison of pain control medication in three age groups of elderly (Honari et al). 1997;18:500-4
NATIONAL TRACS™/ABA Burn Registry
The current status of the NATIONAL TRACS™/ABA Burn Registry (Saffle). 1997;18:172-5
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18: 256-9
NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results (McDonald-Smith and Smith). 1997;18:447-50
Second installment of NATIONAL TRACS™/ABA Burn Registry tips (McDonald-Smith and Smith). 1997;18:451-2
Neck
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
Neovascularization
Tunable dye laser neovessel ablation as an adjunct to the management of hypertrophic scarring in burned children: pilot trial to establish safety (Sheridan et al). 1997;18:317-20
Neural networks (computer)
Neural networks: What are they? (Frye et al). 1997;18: 72-5
Neutrophils
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Nitric oxide
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Nitrofurazone
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
NMR imaging; *see* **Magnetic resonance imaging**
Nursing assessment
Improved burn scar assessment with use of a new scar-rating scale (Yeong et al). 1997;18:353-5
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40
Nutrition
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18: 461-8
Clinical nutrition protocols for continuous quality improvements in the outcomes of patients with burns (Mayes et al). 1997;18:365-8
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997; 18:82-5

O

Obesity
Comparison of the metabolic response to burn injury in obese and nonobese patients (Ireton-Jones). 1997; 18:82-5
Occupational therapy
Ethics and rehabilitation of the patient with severe burns (Chiburis et al). 1997;18:443-6
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
Opioids; *see* **Narcotics**
Organ procurement
The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9
Osteoporosis
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Outcome assessment
Health outcome for burn survivors (Doctor et al). 1997; 18:490-5
Oxidants
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18: 187-92
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997; 18:515-9
Oxygen
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9
Oxygen consumption
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9
Oxygenation
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33

P

Pain
Comparison of pain control medication in three age groups of elderly (Honari et al). 1997;18:500-4

Pain—cont'd
Development of a pediatric burn pain and anxiety management program (Sheridan et al). 1997;18:455-9
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6
Paralysis
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18:461-8
Pentoxifylline
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94
Pharmacokinetics
Wide variation in single, daily-dose aminoglycoside pharmacokinetics in patients with burn injuries (Hoey et al). 1997;18:116-24
Photosensitizing agents
Extensive burns caused by the abusive use of photosensitizing agents (Braye et al). 1997;18:321-5
Physical therapy
Head/face/neck burns: therapist considerations for the pediatric patient (Staley et al). 1997;18:164-71
To splint or not to splint: past philosophy and current practice—part II (Richard et al). 1997;18:64-71
To splint of not to splint: past philosophy and present practice—part III (Richard et al). 1997;18:251-5
Pigmentation
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40
Platelet activation
Postburn edema and related changes in interleukin-2, leukocytes, platelet activation, endothelin-1, and C_1 esterase inhibitor (Kowal-Vern et al). 1997;18:99-103
Point-of-care laboratory instrument
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5
Pressure suits; *see* **G suits**
Prevention and control
Childhood burns in camping and outdoor cooking accidents: a focus for prevention (Sheridan et al). 1997;18:369-71
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al). 1997;18:469-76
Identifying homes with inadequate smoke detector protection from residential fires in Pennsylvania (Forjuoh et al). 1997;18:86-91
Study of antibiotic prophylaxis during burn wound debridement in children (Rodgers et al). 1997;18:342-6
Prognosis
Adjusting a prognostic score for burned children with logistic regression (Demirdjian). 1997;18:313-6
Propranolol
Prolonged use of propranolol safely decreases cardiac work in burned children (Baron et al). 1997;18:223-7
Proteins
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements (Prelack et al). 1997;18:177-81
Psoralens
Extensive burns caused by the abusive use of photosensitizing agents (Braye et al). 1997;18:321-5
Psychosexual dysfunction
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42
Psychotropic drugs
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42
Pulmonary edema
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Pulmonary gas exchange
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401
Pulmonary hypertension; *see* **Hypertension, pulmonary**
Pulmonary wedge pressure
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9

R

Rats
Mild hypotension and body burns synergistically increase bacterial translocation in rats consistent with a 'two-hit phenomenon' (Mishima et al). 1997;18:22-6
NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9
Pathogenesis of fever in a rat burn model: the role of cytokines and lipopolysaccharide (Caldwell et al). 1997;18:525-30
Receptors, interleukin-2
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3
Recombinant proteins
Effects of recombinant bactericidal, permeability-increasing protein on bacterial translocation and pulmonary neutrophil sequestration in burned mice (Rennekampff et al). 1997;18:17-21
Reconstructive surgery
Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9
Distal-based flaps for reconstruction of hand burns (Hallock). 1997;18:332-7
Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury (Heinberg et al). 1997;18:374-80

Referral and consultation
Toxic epidermal necrolysis: an analysis of referral patterns and steroid usage (Engelhardt et al). 1997;18:520-4
Registries
The current status of the NATIONAL TRACS™/ABA Burn Registry (Saffle). 1997;18:172-5
NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results (McDonald-Smith and Smith). 1997;18:447-50
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18:256-9
Second installment of NATIONAL TRACS™/ABA Burn Registry tips (McDonald-Smith and Smith). 1997;18:451-2
Rehabilitation
Ethics and rehabilitation of the patient with severe burns (Chiburis et al). 1997;18:443-6
Reimbursement mechanisms
Managed health care: therapist responsibilities (Fletchall and Hickerson). 1997;18:61-3
Respiration
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4
Respiration, artificial
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18:461-8
Respiratory distress syndrome, adult
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Respiratory insufficiency
Chemical paralysis reduces energy expenditure in patients with burns and severe respiratory failure treated with mechanical ventilation (Barton et al). 1997;18:461-8
Resuscitation
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Hyperdynamic resuscitation improves survival in patients with life-threatening burns (Schiller et al). 1997;18:10-6
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94
Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9
Serum lactate and base deficit suggest inadequate resuscitation of patients with burn injuries: application of a point-of-care laboratory instrument (Jeng et al). 1997;18:402-5
Resuscitation orders
Determining when care for burns is futile (Fratianne and Brandt). 1997;18:262-7
Retinol; *see* **Vitamin A**
Review literature
Facial mutilation after an assault with chemicals: 15 cases and literature review (Yeong et al). 1997;18:234-7
Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40

S

Safety
Children's sleepwear: relaxation of the Consumer Product Safety Commission's flammability standards (Cusick et al). 1997;18:469-76
Saline solution, hypertonic
A comparison of two different 2400 mOsm solutions for resuscitation of major burns (Milner et al). 1997;18:109-15
Scalds; *see* **Burns, scald**
Scar; *see* **Cicatrix, hypertrophic**
Sedation
Superiority of oral ketamine as an analgesic and sedative for wound care procedures in the pediatric patient with burns (Humphries et al). 1997;18:34-6
Self-concept
Aspects of sexuality after burn injury: outcomes in men (Bianchi). 1997;18:183-6
The burn camp experience: variables that influence the enhancement of self-esteem (Biggs et al). 1997;18:93-8
Self-esteem; *see* **Self-concept**
Serotonin uptake inhibitors
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42
Sexuality
Aspects of sexuality after burn injury: outcomes in men (Bianchi). 1997;18:183-6
Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury (Heinberg et al). 1997;18:374-80
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42
Sheep
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33
Silver sulfadiazine
In vitro susceptibility testing of topical antimicrobial agents used in pediatric burn patients: comparison of two methods (Rodgers et al). 1997;18:406-10
Skeleton
Effects of burn injury on bone and growth in a mouse model (Edelman et al). 1997;18:483-9
Skin
Biomechanical alterations in normal skin and hypertrophic scar after thermal injury (McHugh et al). 1997;18:104-8
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
Hyaluronic acid delays or impedes reepithelialization? (Abatangelo). 1997;18:552 (Letter)
Primary closure of fasciotomy incisions with a skin-

stretching device in patients with burn and trauma (Caruso et al). 1997;18:125-32

Skin, artificial

Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51

Dermagraft-TC for partial-thickness burns: a clinical evaluation (Hansbrough). 1997;18:S25-8

Dermagraft-TC pivotal efficacy and safety study (Purdue). 1997;18:S13-4

Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24

The evolutionary development of biologic dressings and skin substitutes (Pruitt). 1997;18:S2-5

A histologic study of Dermagraft-TC in patients' burns wounds (Spielvogel). 1997;18:S16-8

A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7

Multiple piece use of Dermagraft-TC (Herndon). 1997;18:S14-5

New perspectives in burn care: introduction (Baxter). 1997;18:S1

New perspectives in burn care: overview (Baxter). 1997;18:S29-30

Skin pigmentation

Postburn dyspigmentation: its assessment, management, and relationship to scarring—a review of the literature (Tyack et al). 1997;18:435-40

Skin preservation; *see* **Tissue preservation**

Skin transplantation

Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9

Acellular human dermis promotes cultured keratinocyte engraftment (Rennekampff et al). 1997;18:535-44

Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41

Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51

Cultured allogeneic keratinocyte sheets accelerate healing compared to Op-Site treatment of donor sites in burns (Duinslaeger et al). 1997;18:545-51

Disease transmission by means of allograft (Kealey). 1997;18:S10-1

Effects of a rapidly scanned carbon dioxide laser on porcine dermis (Domankevitz and Nishioka). 1997;18:206-9

Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18:S18-24

The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9

The evolutionary development of biologic dressings and skin substitutes (Pruitt). 1997;18:S2-5

A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22

Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33

Improved survival of adults with extensive burns (Fratianne and Brandt). 1997;18:347-51

A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7

Multiple piece use of Dermagraft-TC (Herndon). 1997;18:S14-5

New perspectives in burn care: introduction (Baxter). 1997;18:S1

New perspectives in burn care: overview (Baxter). 1997;18:S29-30

Operational standards and regulations for tissue banks (Heck). 1997;18:S11-2

Perspectives in the use of allograft (Herndon). 1997;18:S6

To splint of not to splint—past philosophy and present practice: part III (Richard et al). 1997;18:251-5

The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases (Lattari et al). 1997;18:147-55

Use of fibrin sealant in thermal injury (McGill et al). 1997;18:429-34

Smoke detector

Identifying homes with inadequate smoke detector protection from residential fires in Pennsylvania (Forjuoh et al). 1997;18:86-91

Smoke inhalation injury

Determining when care for burns is futile (Fratianne and Brandt). 1997;18:262-7

Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33

Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4

Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997;18:515-9

Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns (Barillo et al). 1997;18:200-5

Resuscitation of thermally injured patients with oxygen transport criteria as goals of therapy (Barton et al). 1997;18:1-9

Social behavior

Psychologic factors involved in the decision to undergo reconstructive surgery after burn injury (Heinberg et al). 1997;18:374-80

Sodium

NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9

Sodium chloride

A comparison of two different 2400 mOsm solutions for

resuscitation of major burns (Milner et al). 1997;18: 109-15

Software
The current status of the NATIONAL TRACS™/ABA Burn Registry (Saffle). 1997;18:172-5
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18: 256-9
NATIONAL TRACS™/ABA Burn Registry utilization 1997 survey results (McDonald-Smith and Smith). 1997;18:447-50
Neural networks: What are they? (Frye et al). 1997;18: 72-5
Second installment of NATIONAL TRACS™/ABA Burn Registry tips (McDonald-Smith and Smith). 1997;18:451-2

Spectroscopy; *see* **Spectrum analysis**

Spectrum analysis
NMR relaxation studies on hepatic intracellular and extracellular sodium in rats with burn injury (Xia et al). 1997;18:193-9

Spleen
Pentoxifylline alters class-specific immunoglobulin synthesis in resuscitated burn injury (Napolitano et al). 1997;18:389-94

Splints
To splint or not to splint: past philosophy and current practice—part II (Richard et al). 1997;18:64-71
To splint of not to splint—past philosophy and present practice: part III (Richard et al). 1997;18:251-5

Staphylococcus aureus
Much ado about nothing: methicillin-resistant *Staphylococcus aureus* (Shannon et al). 1997;18:326-31

Statistics
NATIONAL TRACS™/ABA Burn Registry—Data analysis and reports (McDonald-Smith). 1997;18: 256-9

Steroids
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401
Toxic epidermal necrolysis: an analysis of referral patterns and steroid usage (Engelhardt et al). 1997;18: 520-4
Toxic epidermal necrolysis (Murphy et al). 1997;18: 417-20

Stress
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Excessive liver oxidant stress causes mortality in response to burn injury combined with endotoxin and is prevented with antioxidants (LaLonde et al). 1997;18: 187-92

Stress, mechanical
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3

Stress disorders, post-traumatic
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42

Substance dependence
Chemical dependency in patients with burn injuries: a fortress of denial (Tabares and Peck). 1997;18:283-6

Sulfamylon; *see* **Mafenide**

Surgical flaps
Distal-based flaps for reconstruction of hand burns (Hallock). 1997;18:332-7

Survival
Improved survival of adults with extensive burns (Fratianne and Brandt). 1997;18:347-51

Swine
Effects of a rapidly scanned carbon dioxide laser on porcine dermis (Domankevitz and Nishioka). 1997; 18:206-9
A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22

T

Tissue banks
Operational standards and regulations for tissue banks (Heck). 1997;18:S11-2

Tissue preservation
Acellular allogenic dermis does not hinder initial engraftment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7

Tissue procurement; *see* **Organ procurement**

T-lymphocytes
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
Kinetics of soluble interleukin-2 receptor after mechanical and burn trauma (Schinkel et al). 1997;18:210-3

Tocopherol; *see* **Vitamin E**

Total quality management
Clinical nutrition protocols for continuous quality improvements in the outcomes of patients with burns (Mayes et al). 1997;18:365-8
Emergency room management of minor burn injuries: a quality management evaluation (Smith et al). 1997; 18:76-80

Tracheostomy
Rationale for 'early' percutaneous dilatational tracheostomy in patients with burn injuries (Caruso et al). 1997;18:424-8

Tranquilizing agents, minor
Sexual dysfunction and the patient with burns (De Rios et al). 1997;18:37-42

Transforming growth factor beta
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82

Transplantation, autologous
Acellular allogenic dermis does not hinder initial engraft-

ment in burn wound resurfacing and reconstruction (Sheridan and Choucair). 1997;18:496-9
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
A hyaluronic acid membrane delivery system for cultured keratinocytes: clinical 'take' rates in the porcine kerato-dermal model (Myers et al). 1997;18:214-22
Improved survival of adults with extensive burns (Fratianne and Brandt). 1997;18:347-51
Multiple piece use of Dermagraft-TC (Herndon). 1997; 18:S14-5

Transplantation, homologous
Allograft is superior to topical antimicrobial therapy in the treatment of partial-thickness scald burns in children (Rose et al). 1997;18:338-41
Clinical trials of a biosynthetic temporary skin replacement, Dermagraft-Transitional Covering, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Hansbrough et al). 1997;18:43-51
Cultured allogeneic keratinocyte sheets accelerate healing compared to Op-Site treatment of donor sites in burns (Duinslaeger et al). 1997;18:545-51
Disease transmission by means of allograft (Kealey). 1997;18:S10-1
Estimating the economic cost offsets of using Dermagraft-TC as an alternative to cadaver allograft in the treatment of graftable burns (Parente). 1997;18: S18-24
The Euro skin bank: development and application of glycerol-preserved allografts (Mackie). 1997;18:S7-9
The evolutionary development of biologic dressings and skin substitutes (Pruitt). 1997;18:S2-5
Immunogenicity of glycerol-preserved human cadaver skin in vitro (Richters et al). 1997;18:228-33
Improved survival of adults with extensive burns (Fratianne and Brandt). 1997;18:347-51
A multicenter clinical trial of a biosynthetic skin replacement, Dermagraft-TC, compared with cryopreserved human cadaver skin for temporary coverage of excised burn wounds (Purdue et al). 1997;18:52-7
New perspectives in burn care: introduction (Baxter). 1997;18:S1
New perspectives in burn care: overview (Baxter). 1997; 18:S29-30
Operational standards and regulations for tissue banks (Heck). 1997;18:S11-2
Perspectives in the use of allograft (Herndon). 1997; 18:S6
The use of a permanent dermal allograft in full-thickness burns of the hand and foot: a report of three cases (Lattari et al). 1997;18:147-55

Transportation of patients
Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns (Barillo et al). 1997;18:200-5

Tricyclic antidepressants; *see* **Antidepressive agents**

Tumor necrosis factor
Cytokine production in patients with hypertrophic burn scars (Polo et al). 1997;18:477-82

Tunable dye laser; *see* **Laser surgery**

U

Ultrasonography
Ultrasonic imaging as an adjunct to femoral venous catheterization in children (Sheridan et al). 1997;18: 156-8

V

Vascular resistance
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401

Vasoconstriction
The effects of U-74389G, a 21-aminosteroid, on pulmonary vascular resistance after a scald (Johnson et al). 1997;18:395-401

Ventilation
Pressure-controlled ventilation for the long-range aeromedical transport of patients with burns (Barillo et al). 1997;18:200-5

Ventilation, mechanical; *see* **Respiration, artificial**

Ventilation-perfusion ratio
Inhaled nitric oxide selectively reduces pulmonary hypertension after ovine smoke inhalation but does not improve oxygenation (Booke et al). 1997;18:27-33

Viruses
Disease transmission by means of allograft (Kealey). 1997;18:S10-1

Vitamin A
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78

Vitamin C; *see* **Ascorbic acid**

Vitamin E
Carotenoids and antioxidant vitamins in patients after burn injury (Rock et al). 1997;18:269-78
Plasma catalase and glutathione levels are decreased in response to inhalation injury (LaLonde et al). 1997; 18:515-9

W

Work of breathing
Lung compliance, airway resistance, and work of breathing in children after inhalation injury (Mlcak et al). 1997;18:531-4

Wound healing
A burn wound healing model in the hairless descendant of the Mexican hairless dog (Matsumura et al). 1997; 18:306-12
Energy and protein provisions for thermally injured children revisited: an outcome-based approach for determining requirements (Prelack et al). 1997;18:177-81
Histologic alterations in dermal repair after thermal injury effects of topical angiotensin II (Rodgers et al). 1997;18:381-8
Insulin-like growth factor-I liposomal gene transfer and systemic growth hormone stimulate wound healing (Pierre et al). 1997;18:287-91